CDA
17:34
17:34
NIGELLA LAWSON
Nigel Slater
GOOD SHOPPING GUIDE
ETHICAL BUSINESS
LIFETIME
PARTS
WARRANTY
+2 YEARS LABOUR

ECP102SS Curved glass extractor

Colour:
Stainless Steel



Features

- Push button control
- Speeds: 3
- Height adjustable
- Ducted/re-circulating installation

Available in

- Stainless steel
- Black

Energy

- Energy rating: D
- Energy consumption per annum: 60kWh

Filters

- Grease filtering efficiency class: D
- Cassette aluminium
- Number of layers: 4
- Number of grease filters: 1
- Dishwashable grease filter
- Number of charcoal filters (optional): 1

Lighting

- Type of light: LED
- Wattage of lights: 2W
- Number of lights: 2
- Colour temperature: 4000K
- Lighting energy rating: A

Extraction rates and noise

- Extraction rate speed 1: 218m^3/hr
- Extraction rate speed 2: 302m^3/hr
- Extraction rate speed 3: 391m^3/hr
- Noise level speed 1: 50dBA
- Noise level speed 2: 56dBA
- Noise level speed 3: 60dBA

Technical specification

- Outlet diameter: 150mm
- Required height over electric hobs: 550mm (min)
- Required height over gas hobs: 650mm (min)
- Class I
- Pressure value: 141Pa
- Rated electrical power: 104W
- Motor input: 100W
- Mains lead length: 1m

Fitting notes

- Please ensure that you check the ceiling heightis sufficient to allow the required clearance between the hob and extractor