

|C|D|A|



|C|D|A|

EVP62SS Linear extractor

Colour:
Stainless Steel



Features

- Number of speeds: 4
- Touch control
- Boost function
- Timer: 15 minutes
- Height adjustable
- Ducted/re-circulating installation

Available in

- Stainless steel

Energy

- Energy rating: A
- Energy consumption per annum: 54kWh

Filters

- Grease filtering efficiency class: C
- Aluminium frame
- Number of layers: 5
- Number of grease filters: 2
- Dishwashable grease filter
- Number of charcoal filters (optional): 1

Lighting

- Type of light: LED
- Wattage of lights: 2W
- Colour temperature: 6000K
- Lighting energy rating: A

Extraction rates and noise

- Extraction rate speed 1: 378m³/hr
- Extraction rate speed 2: 496m³/hr
- Extraction rate speed 3: 592m³/hr
- Extraction rate speed 4: 667m³/hr
- Noise level speed 1: 57dBA
- Noise level speed 2: 63dBA
- Noise level speed 3: 67dBA
- Noise level speed 4: 68dBA

Technical specification

- Outlet Diameter: 150mm
- Required height over electric hobs: 450mm (min)
- Required height over gas hobs: 650mm (min)
- Class I
- Pressure value: 461Pa
- Rated electrical power: 304W
- Motor input: 300W
- Fuse: 3A
- Mains lead length: 1.2m

