

|C|D|A|



|C|D|A|

EVP92SS Linear extractor

Colour:
Stainless Steel



Features


- Touch control
- Boost function
- Timer: 15 minutes
- Speeds: 4
- Height adjustable
- Ducted/re-circulating installation

Available in

- Stainless steel

Energy

- Energy rating: A
- Energy consumption per annum: 55kWh



Filters

- Grease filtering efficiency class: C
- Aluminium frame
- Number of layers: 5
- Number of grease filters: 3
- Dishwashable grease filter
- Number of charcoal filters (optional): 1

Lighting

- Type of light: LED
- Wattage of lights: 2W
- Number of lights: 2
- Colour temperature: 6000K
- Lighting energy rating: A

Extraction rates and noise

- Extraction rate speed 1: 375m³/hr
- Extraction rate speed 2: 490m³/hr
- Extraction rate speed 3: 585m³/hr
- Extraction rate speed 4: 658m³/hr
- Noise level speed 1: 57dBA
- Noise level speed 2: 63dBA
- Noise level speed 3: 67dBA
- Noise level speed 4: 68dBA

Technical specification

- Outlet diameter: 150mm
- Required height over electric hobs: 450mm (min)
- Required height over gas hobs: 650mm (min)
- Class I
- Pressure value: 448Pa
- Rated electrical power: 304W
- Motor input: 300W
- Mains lead length: 1.2m